

Atal Adarsh Vidyalaya, Bapu dham New Delhi -21
School ID. 2129008

APPENDIX -IX

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	ATAL ADARSH VIDYALYA BAPU DHAM
2	AFFILIATION NO.(IF APPLICABLE)	2764060
3	SCHOOL CODE (IF APPLICABLE)	27114
4	COMPLETE ADDRESS WITH PIN CODE	ATAL ADARSH VIDYALYA , BAPU DHAM ,MANAS MARG NEW DELHI-21
5	PRINCIPAL NAME	BRIJESH KUMAR (HOS)
6	PRINCIPAL QUALIFICATION	MA , BFA,
7	SCHOOL EMAIL ID	bbpd-s@ndmc.gov.in 27114@cbseshiksha.in
8	CONTACT DETAILS (LANDLINE/MOBILE)	011-26114866 / 8851914040

B : DOCUMENTS AND INFORMATION:

SL	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR
----	-----------------------	-------------------------------------

No.		SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	ATTACHED
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	N/A
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	N/A
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	N/A
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	ATTACHED
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	ATTACHED
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	N/A
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	ATTACHED

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	NIL
2	ANNUAL ACADEMIC CALANDER	-
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	ATTACHED
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	ATTACHED
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABLILITY	ATTACHED

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDETNS PASSED	PASS PERCENTAG E	REMARKS
1	2018	28	20	71.4%	-
2	2019	30	28	93.33%	-
3	2020	32	13	40.62%	

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDETNS PASSED	PASS PERCENTAG E	REMARKS
1	2018	44	40	90.9%	

2	2019	44	34	77.27%	
3	2020	32	26	81.25%	

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL/V.P.	01
2	TOTAL NO. OF TEACHERS	30
	PGT	06
	TGT	10
	PRT	08 PRT , 02 NUR, 01Yoga tr.
3	TEACHERS SECTION RATIO	1: 22
4	DETAILS OF SPECIAL EDUCATOR	01
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	01 PET, 01 BAND MASTER

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS
--------	-------------	---------

1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	4800 SQ. MTR.
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	25 CLASS ROOM , SIZE (44 SQ MTR) APPROX.
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	4 LAB , SIZE (80 SQ MTR)
4	INTERNET FACILITY	YES
5	NO. OF GIRLS TOILETS	6
6	NO. OF BOYS TOILETS	6
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://youtu.be/wycPD3zoNVU



Atal Adarsh Vidyalaya
Bapu Dham, New Delhi - 110021
Email: bbpd-s@ndmc.gov.in

Atal Adarsh Vidyalaya Bapu Dham New Delhi
SMC MEMBER COMMITTEE -2020-21

SL.No.	Name	Designation	Status in SMC
1	Mr.Brijesh Kumar	HOS	Chairman
2	Ms.Tripti Nathani	PGT	Convener
3	Mr. Virender Kadian	Area (MLA)	Member
4	Ms.Savitri tiwari	Social Worker in field of Education	Member
5	Ms. Geeta Gulati	H.M.	Member
6	Mr.Pappu Lal Dhanka (Preeti -IX-A)	Parents/Guardian of Students	Member
7	Mr.Ram Pal (Karan -X)	-do-	Member
8	Mr. Suresh giri (Sushila Giri -X)	-do-	Member
9	Mr. Baley (Tannu -X)	-do-	Member
10	Mr.Bhuwan Chand (Kanchan-XI_A)	-do-	Member
11	Mr.Chaman Singh (Laxmi -XI-A)	-do-	Member
12	Mr. Dhvrnam (Sandep -XI-B)	-do-	Member
13	Mr. Baleshwar (Santoshi-XI-B)	-do-	Member
14	Ms. Anju Bala	PGT(Hindi)	Special Invitee
15	Ms. Deepika Sachdeva	TGT (Sc.)	-do-
16	Mr. Shakti Krishan	TGT(Maths)	-do-
17	Mr. Vijay Kumar	PET	-do-

Brijesh Kumar
(HOS/V.Principal)

Atal Adarsh Vidyalaya
Bapu Dham, N.D.-21

POCO

SHOT ON POCO F1

2021/6/10 14:17



Atal Adarsh Vidyalaya
Bapu Dham, New Delhi - 110021
Email: bbpd-s@ndmc.gov.in

Atal Adarsh Vidyalaya Bapu Dham New Delhi
PTM COMMITTEE -2020-21

SL.No.	Name	Designation	Status in PTA
1	Mr. Brijesh Kumar	HOS	Chairman
2	Ms. Geeta Gulati	H.M.	Member
3	Ms. Tripti Nathani	PGT	-do-
4	Ms. Anju Bala	PGT (Hindi)	-do-
5	Ms. Deepika Sachdeva	TGT (Sc.)	-do-
6	Mr. Shakti Kishan	TGT (Maths)	-do-
7	Mr. Suresh giri	Parents	-do-
8	Mr. Ram Pal	-do-	-do-
9	Mr. Baleshwar	-do-	-do-
10	Ms. Bala	-do-	-do-

Brijesh Kumar
(HOS/V.Principal)

Atal Adarsh Vidyalaya
 Bapu Dham, N.D.-21

TO WHOM IT MAY CONCERN

This is to certify that considering the continuous maintenance of Sanitation, Health and Water by the department, the present condition of these at Atal Adarsh Vidyalaya Bapu Dham New Delhi -21 are safe. This certificate is being issued on the request of School authority in respect of valid condition of Water, Health and Sanitation at Atal Adarsh Vidyalaya Bapu Dham New Delhi -21, for onward submission to C.B.S.E.

Handwritten signature and date: 16/12

Handwritten signature
Assistant Engineer-V (BM-I)
NDMC New Delhi
Assistant Engineer,
New Delhi Municipal Corp.
New Delhi-110001

12

To Whom It May Concern

This is to certify that considering the present condition & continuous maintenance of N.P. Co-Ed. Sr. Sec. School, Bapu Dham ,New delhi-21, the school building seems to be structurally safe. This certificate is being issued on the request of school authority in respect of School Building safety measure for onward submission to C.B.S.E.


Assistant Engineer-V (BM-I)

Fire officer

276790/AB-12-
23/10/19

(2)



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110001


No.F.6 DFS/MS/School/2019/SZ/ 1978

Dated: 16/10/19

FIRE SAFETY CERTIFICATE

Certified that the N.P. Adarsh Co-Ed School, located at Babu Dham, San Martin Road, Chanakypuri, New Delhi comprised of ground plus one upper floor was issued FSC by this department vide letter No. F6/DFS/MS/School/SZ/2016/1531 dated 19/10/2016. The said premises was re-inspected by officer concerned of this department on 01/10/2019 in presence of Mr. Munna Lal (Vice-Principal) and found that school building have deemed complied with the fire prevention and fire safety requirements in accordance with Directorate of Education circular no. 262 to 362 dated 17/01/2005 issued by Govt. of NCT of Delhi and that the school building is fit for occupancy class "Educational Building" Group-B, with effect from the date of issue of this certificate for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 16/10/19 at New Delhi by


(Rajesh Panwar)
Dy. Chief Fire Officer
Tel. 011-26189168

Copy to: -

1. The Principal, N.P. Adarsh Co-Ed School, Babu Dham, San Martin, Road, Chanakypuri, New Delhi
2. Mr. N. K. Gaur, Asstt. Fire Officer, NDMC, Palika Kender, New Delhi-110001
3. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi.

Conditions for the validity of Fire Safety Certificate

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measure shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016 of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."

138

(AFFILIATION BRANCH)

No. CBSE/AFF/Govt. Wing/2764060/2020

Date: 01/07/2020

N P CO-EDU SR SECONDARY SCHOOL
BAPU DHAM NEW DELHI, 110021

Subject: Acknowledgement of Annual Fee - regarding

Sir/Madam

1. With reference to the subject given above it is to acknowledge the receipt of an amount of Rs. 15000/- as annual fee in respect of your school.
2. The Board's annual fee was Rs. 1500/- till 31/03/2012. The annual fee was revised from Rs. 1500/- to 3000/- per annum w.e.f. 01.04.2012. The annual fee was further revised from Rs.3000/- to Rs.5000/- per annum as per Circular No. Affiliation - 01/2016 w.e.f. 01/04/2019 onwards.

The details of fee and sessions for which the annual fee has been received are given below:

Session	Total Annual Fee
01/04/ to 31/03/2012 (@ 1500/- per annum)	0
01/04/ to 31/03/ (@ 3000/- per annum)	0
01/04/2020 to 31/03/2023 (@ 5000/- per annum)	15000
TOTAL	15000 Balance Amount 0

3. ✓ No separate letter for extension of affiliation will be issued to the schools granted regular affiliation.
4. Further, in future the School shall only apply online for Extension of Affiliation through link provided on Board website www.cbseaff.nic.in under the Government Schools Corner. No offline application for Extension of Affiliation or Annual Fee will be accepted by the Board in future.

DEPUTY SECRETARY(AFFILIATION)

Copy to the Regional Officer, Delhi for record please.

DEPUTY SECRETARY(AFFILIATION)

Verified for Rs. 15000
Paid through RTGS
22
16/07/2020